TECHNICAL SPECIFICATIONS

Cardboard TypeSingle wall/Double wallSingle wall/Double wall(AAA Heavy Duty Cardboard ThicknessCardboard Thickness2-12mm2-12mm2-16mmCardboard Weight1400g/m²1200g/m²2400g/m²		
Cardboard TypeSingle wall/Double wallSingle wall/Double wall(AAA Heavy Duty Cardboard ThicknessCardboard Thickness2-12mm2-12mm2-16mmCardboard Weight1400g/m²1200g/m²2400g/m²	inle wall	
Cardboard Weight 1400g/m² 1200g/m² 2400g/m²	Single/Double/ Triple wall (AAA Heavy Duty Cardboard)	
	I	
	2400g/m ²	
Max. Board Size1800mm(W) * Unlimited Length2500mm(W) * Unlimited Length3000mm(W) * Unlimited Length	3000mm(W) * Unlimited Length	
Min. Board Size 140mm(W) * 600mm(L) 200mm(W) * 650mm(L) 300mm(W) * 660	Omm(L)	
Pre-Creasing Wheel x x 4		
Quantity 6 4 4		
Vertical Min. Distance 20mm (Or 25mm) 30mm 5mm		
Inconsistent Creasing		
Quantity 6 4 4		
Vertical Slitting Min. Distance 20mm (Or 25mm) 36mm 36mm		
Knife Sharpen- ing Function × I		
Quantity 1 1 1		
Cross Cutting Up and Down x x √		
Glue Flap x Optional √		
Independent Motor Control, Quick Changeover Time		
Auxiliary Paper Output Roller × 1		
Touchscreen Leadshine Flexem Delta		
Power 380V±10%, Max 7kW 380V±10%, Max 8kW 380V±10%, Max	k 10kW	
Machine Size 2500(W) * 1500(L) * 2030 (H)mm 3610(W) * 2050(L) * 2090 (H)mm 3820(W) * 2060(L) (H)mm	.) * 1970	
Machine Weight Appr. 1848kg Appr. 3400kg Appr. 4500	0kg	









TikTok



Website: www.aopackmachine.com WhatsApp & WeChat: +86 150 2002 3038 Email: anna.qin@aopackmachine.com Address: Qindao City, Shandong Province, China





Watch Videos

Fully Automatic Slotting, Slitting, Creasing **Integrated Machine**

AOPACK LTD.

www.aopackmachine.com

COMPANY PROFILE

Aopack is a professional automatic box making machine manufacturer, specializing in scattered orders, and low to medium volume box production solutions. Since 2014, we have developed many fully automatic slotting slitting creasing all in one compact box making machines, like BM2506, BM1206, BM2508-SE, BM2508-Plus, BM2508-Pro, BM3000, BM3000-HD, BM3000-Pro, FF2800, BM1800-Mini. In the past 10 years , we have invested over 4 million dollars in R&D, Aopack factory covers an area of about 10,000 square meters and now has an annual output of more than 200 units of box makers.


Aopack automatic box making machine can process 150+ box styles, Board feeding, slotting, scoring, creasing, slitting, trimming, handle die-cutting, gluing, printing, processed in one go, saving time and effort. Our machine has passed the European CE certification and obtained multiple invention patents and utility model patents. Aopack provides packaging solutions throughout the world. 710+ machines have been installed in 60+ countries around the world, like China, Japan, the UK, America, Germany, Switzerland, Italy, Spain, Russia, Australia, and so on. Both machine performance and service have received tons of excellent reviews from our partners and customers.

GLOBAL INSTALLATION



BASIC BOX STYLES 0100 Commercial sheets 0200 Slotted-type boxes 0300 Telescopic boxes 0400 Folder-type boxes 0500 Slide-type boxes **0900 Interior fitments**

Free Style system enables free creation with unlimited box styles.



	0205	0206	0208	0209	2001
	0299	2011	2012	2013	2014
8				8	
	2024	2027	2041	2043	2062
A		ÞØ			
	3003	3004	3005	3008	3009

3003	3004	3005	3008	3009
I				






BASIC BOX STYLES / 02



BOX MAKING PROCESS



Get the machine ready and powered on.



Input production data.




All the units set automatically.




Different boxes.




All the processes completed in one machine.



Load cardboard.






Inline Gluing (Optional)




Handle Die-Cutting




Vertical Slitting And Creasing





Horizontal Trimming



Inline Flexo Printing (Optional)



Horizontal Slotting And Scoring

MAJOR FUNCTIONS




















Aopack Heavy Duty Box Maker BM3000-HD








pre-programmed

slash, curve



TECHNICAL SPECIFICATIONS

PROCESSING COMPARISON

Cardboard Type	Single/Double/ Triple wall (AAA Heavy Duty Cardboard)	Cross Cutting Knife	1
Cardboard Thickness	2-16mm	Power	380V±10%, Max 10kW 50/60Hz
Cardboard Weight	≤2400g/m²	Air Pressure	0.6-0.7Mpa
Max. Board Size	3000mm Width * Unlimited Length	Dimension	3820(W)* 2060 (L)* 1970(H)mm
Min. Board Size	300mm Width * 660mm Length	Gross Weight	Appr. 4500kg
Production Capacity	Appr. 10-16pcs/minute. Depends on Box Size and Style.	Handle Hole on box sides	150(L)*300(W)mm
Slotting Knife	2pc * 500mm Length	Glue Flap Crush	\checkmark
Vertical Creasing Knife	4 (With Knife Sharpening Function)	Air Consumption	90L/min
Scoring/Creasing Wheel	4+4	Box Styles	150+

The above parameters are for reference only.And the final right of interpretation belongs to Aopack Ltd.

available



AOPACK BOX MAKING MACHINE BM2508-Pro



1 Aopack Machine = 3 Machines

1 AOPACK MACHINE = 1 SLITTER + 1 SLOTTER + 1 GLUER, ALL IN ONE COMPACT MACHINE

FINISHED CARTON DISPLAY










Handle Die-Cutting, Cluing, Printing, All In One Compact Machine.



TECHNICAL SPECIFICATIONS

Cardboard Type	Single/Double wall	Creasing Wheel	4
Cardboard Thickness	2-12mm	Crossing Cutting Knife	1
Cardboard Weight	≤1200g/m²	Power	380V±10%, Max 8kW, 50/60Hz
Max. Board Size	2500mm (W) * Unlimit Length	Air Pressure	0.6-0.7Mpa, 75L/min
Min. Board Size	200(W) * 650mm (L)	Machine Size	3610(W) * 2050(L)* 2090*(H)mm
Production Capacity	Appr.500-800pcs/h.Depends on Size and Box Style.	Machine Weight	Appr. 3400kg
Slotting Knife	2pc * 500mm (Length)	Handle Hole on box sides	150mm(L)*200mm(W)
Slitting Knife	4 (with knife sharpening function)	Box Styles	150+

The above parameters are for reference only.And the final right of interpretation belongs to Aopack Ltd.

• Board Feeding, Slotting, Scoring, Creasing, Slitting, Trimming,





AOPACK MINI BOX MAKING MACHINE BM1800-Mini



MACHINE HIGHLIGHTS

- 01 Independent motor control, appr. 1-6s quick changeover time.
- Compact design, save more space.

Customized box styles, inconsistent

creasing, all in one pass.

03 Max. 1800mm cardboard width with unlimited length.

TECHNICAL SPECIFICATIONS

Cardboard Type	Single/Double wall	Creasing whee quantity		6	
Cardboard Thickness	2-12mm	Vertical Creasing	Minimum Distance	20mm (Or 25mm)	
Cardboard Weight	≤1400g/m²		Inconsistent Creasing	4	
Max. Board Size	1800mm(W) * Unlimited Length	-	Slitting knife Quantity	6	
Min. Board Size	140mm(W) * 600mm(L)	Vertical Slitting	Vertical Slitting	Minimum	20mm
Change From Order to Order	Appr. 1-6s		Slitting	(Or 25mm)	
Power	380V±10%, Max 7kW	Cross Cutting	Cutting Knife Quantity	1	
Dimension	Appr. 2500mm(W)*1500mm (L)*2030mm(H)	Machine Weight	Appr.1848kg		

The above parameters are for reference only.And the final right of interpretation belongs to Aopack Ltd.



APPLICATION					
TECHNICAL SPE					
Cardboard Type	Single wall/Double wall (Only Fanfold)	Cross Cutting Knife	1		
Cardboard Thickness	1.5-10mm	Power Supply	380V±10%, Max 5.5kW, 50/60Hz		
Cardboard Weight	≤1350g/m²	Air Pressure	0.6-0.7Mpa, 70L/min		
Max. Board Size	2800mm(W) * Unlimited Length	Dimension	3700(W)* 1200(L)* 2030(H)mm		
Min. Board Size	500mm(W) * 650mm(L)	Machine Weight	Appr. 4000kg		
Vertical Slitting Knife	6	Box Styles	50+		
Vertical Creasing Wheel	6	Change From Order to Order	1-ós		

The above parameters are for reference only. And the final right of interpretation belongs to Aopack Ltd.

